



(10) **Patent No.:** US 6,339,173 B1
(45) **Date of Patent:** *Jan. 15, 2002

OTHER PUBLICATIONS

- (57) **ABSTRACT**

This patent is subject to a terminal disclaimer.

- $$\left[\begin{array}{c} \text{R}_2 - \text{N} - \text{C} = \text{O} \\ | \quad | \\ \text{H} \quad \text{H} \\ | \\ \text{R}_4 \end{array} \right]_n \left[\begin{array}{c} \text{R}_3 \\ | \\ \text{N} - \text{C} - \text{Y} - \text{C} = \text{O} \\ | \quad | \\ \text{H} \quad \text{H} \end{array} \right]_p \quad [\text{X}^-]_m$$

Related U.S. Application Data

- or a salt, or solvate, or enantiomers thereof wherein; (a) Y is a direct link or an alkylene of 1 to about 20 carbon atoms; (b) R₁ is H or a lipophilic moiety; (c) R₂, R₃, and R₄ are positively charged moieties, or at least one but not all of R₂, R₃, or R₄ is a positive moiety and the remaining are independently selected from H, an alkyl moiety of 1 to about 6 carbon atoms, or a heterocyclic moiety of about 5 to about 10 carbon atoms; (d) n and p are independently selected integers from 0 to 8, such that the sum of n and o is from 1 to 16; (e) X⁻ is an anion or polyanion and (f) m is an integer from 0 to a number equivalent to the positive charge(s) present on the lipid; provided that if Y is a direct link and the sum of n and p is 1 then one of either R₃ or R₄ must have an alkyl moiety of at least 10 carbon atoms.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,897,355	A	1/1990	Eppstein et al.	
5,171,678	A	12/1992	Beher et al.	
5,264,618	A	11/1993	Felger et al.	
5,334,761	A	8/1994	Gebeyehu et al.	
5,650,096	A	* 7/1997	Harris et al.	252/357
5,747,471	A	* 5/1998	Siegel et al.	514/44
6,020,526	A	* 2/2000	Schwartz et al.	564/153

FOREIGN PATENT DOCUMENTS

WO 9601841 1/1996

15 Claims, 6 Drawing Sheets

The present invention further provides compositions of these lipids with polyanionic macromolecules, methods for interfering with protein expression in a cell utilizing these compositions and a kit for preparing the same.